
Classical Homoeopathy for an Impatient World Rapid Classical Prescribing



Dr Subrata K. Banerjea

RAPID CLASSICAL PRESCRIBING

BY

DR SUBRATA KUMAR BANERJEA

GOLD MEDALIST

BHMS (HONOURS IN NINE SUBJECTS OF CALCUTTA UNIVERSITY)

FELLOW: AKADEMIE HOMOOPATHISCHER DEUTSCHER ZENTRALVEREIN (GERMANY)

DIRECTOR: BENGAL ALLEN MEDICAL INSTITUTE

PRINCIPAL: ALLEN COLLEGE OF HOMOEOPATHY, ESSEX, ENGLAND www.homoeopathy-course.com



B. Jain Publishers (P) Ltd.

An ISO 9001 : 2000 Certified Company USA – EUROPE – INDIA

AUTHOR'S DEDICATION

To commemorate the sacred memory of my ancestors, who have dedicated their life for the cause and development of Homoeopathy. To them Homoeopathy was wealth and honour.

Dr Kali Pada Banerjee (my great-grandfather), Proprietor, C. Ringer and Company, Calcutta.

Dr Kishori Mohan Banerjee (my grandfather), Founder, Bengal Allen Homoeopathic Medical College and Hospital, Calcutta,

and

Dr N. K. Banerjee (my uncle), Principal, Bengal Allen Homoeopathic Medical College, Calcutta; President, Homoeopathic State Faculty, West Bengal and Indian Homoeopathic Association; Author of: A Treatise on Homoeopathic Pharmacy; Practice of Medicine, etc.

PREFACE

The name 'Rapid Classical Prescribing' has originated in concept from watching a few Master homoeopaths of Calcutta (India), namely, Dr S. K. Dubey, Dr P. C. Paul and my uncle, Dr N. K. Banerjee, as well as reading wonderful case stories of Drs N.M. Chowdhury, Mahendra Lal Sircar, Nilmani Ghatak, Tarak Nath Palit and Dr B. K. Bose, who inspired me to find the right methodology to make a successful classical prescription.

My years of experience, understanding and reading of homoeopathic literature, have brought me to the conclusion that the totality of the following six methodologies will enable the prescriber to reach the 'simillimum' efficiently and quickly:

- 1. Emphasis on Aetiologies (search for physical and emotional aetiologies, past history of disease, conventional medication and/or vaccination: **Never Been Well Since**).
- 2. Totality of Physical Symptoms (with special emphasis on modalities and sensations).
- 3. Emotional Symptoms (with emphasis on personality profile and the nature of the person).
- 4. Behaviour, Gesture, Posture, Hobbies (how the person speaks, behaves during the consultation, his nature, inquisitiveness, repetitiveness, abusive tendencies, etc.).
- 5. Miasmatic Totality (diagnosing the surface miasm, please refer to my book '*Miasmatic Prescribing*' for quick miasmatic diagnosis).
- 6. Homoeopathic Generalities (a) Thermal reactions (b) Food preferences and appetite (c) Thirst (d) Sleep and dream (e) General eliminations (f) Diathesis or tendencies (g) Allergies.

In my experience, the totality or a combination of any three of the above methodologies can get you to the simillimum.

This is a time tested, repeatedly verified, scientific, classical and practical approach which has been practiced for centuries by Master homoeopaths including Drs Kent, Hering, Lippe, Tyler, Nash, etc.

The hexagonal representation in the book will enable the prescriber to understand the keywords of the medicine (for example, 'Retention' for Natrium muriaticum; 'Anchor' for Pulsatilla nigricans; 'Principle' for Kalium carbonicum; 'Unfulfilled' for Tuberculinum, etc.) on which major emphasis should be given for prescribing. Moreover, the bold points in the medicine pictures represent the strong character of the medicine and if that matches with the patient, it should be sure shot. After prescribing the medicine, one should wait and watch for recovery and not change the prescription.

The beauty of this methodology is MTEK:

Miasm (50 per cent emphasis) + (Totality+Essence+ Keynotes) (50 per cent emphasis), which is the classical and practical prescribing approach in this drug dependant world. The beauty is shown by the benefits which are as follows:

- 1. Time tested
- 2. Scientific
- 3. Methodical and logical
- 4. Founded on solid principles, and
- 5. Not confusing

In my extensive lecturing career throughout the world for over twenty five years, I have found that many homoeopathic prescribers, especially fresh homoeopathic graduates, are confused, because they are exposed to a variety of methods and approaches. Many leading homoeopaths come up with their own approach, which may work for her / him as s/he has years of experience. However a fresh graduate, who depends on the above time tested, scientific, classical six methodologies will never get confused.

Even in the Western world, in my practice in the United Kingdom, I always get cases that are drug dependant and want to try homoeopathy, looking forward to a quick result. It is difficult to prescribe a constitutional medicine in a drug dependent case as Hahnemann says in Organon §91 as follows:

'The symptoms and feelings of the patient during a previous course of medicine do not furnish the pure picture of the disease; but on the other hand, those symptoms and ailments which he suffered from before the use of the medicines or after they had been discontinued for several days, give the true fundamental idea of the original form of the disease, and these especially the physician must take note of. When the disease is of a chronic character, and the patient has been taking medicine up to the time he is seen, the physician may with advantage leave him some days quite without medicine, or in the meantime administer something of an unmedicinal nature and defer to a subsequent period the more precise scrutiny of the morbid symptoms, in order to be able to grasp in their purity the permanent uncontaminated symptoms of the old affection and to form a faithful picture of the disease.'

Therefore in such cases (which are one-sided diseases, Refer Hahnemann's Organon, §173):

'The only diseases that seem to have but few symptoms, and on that account to be less amenable to cure, are those which may be termed one-sided, because they display only one or two principal symptoms which obscure almost all the others. They belong chiefly to the class of chronic disease.'

I open such cases in accordance with §177:

'In order to meet most successfully such a case as this, which is of very rare occurrence, we are in the first place to select, guided by these few symptoms, the medicine which in our judgment is the most homoeopathically indicated'.

Therefore, by prescribing the *lesser known organopathic medicine* (guided by §173, §177) the patient immediately finds some relief and embraces homoeopathy. I have discussed the details of the approach in Chapter-1 of this book. After gradual weaning off about 40 per cent to 50 per cent of the conventional medication, more symptoms surface, we get an uncontaminated picture of the disease and accordingly a constitutional medicine is prescribed, which is of course my main motto.

This book is largely the collection of my post graduate classes in England, Norway and the United States. The therapeutic approach of the book does not intend to relate that the homoeopathic prescription should be made on the basis of the name of the disease, but on the basis of strictest individualisation,

Preface vii

through afore mentioned six methodologies. The patient comes to us and says the name of the disease that she/he has been told by her/his physician; the therapeutic classification of medicine is just the way forward to handle the diseases of the modern world, quickly and efficiently, especially in drug dependent cases, opening with lesser known medicines as discussed in respective chapters of this book.

I would like to sincerely acknowledge the constant inspiration, praise and love of my wife, Janet, which I treasure; say thank you to my favourite graduate-homoeopath Andrea Wolahan, who has meticulously gone through the manuscripts for avoiding any repetition and confusion of my thoughts, and to Sh. Kuldeep Jain of B. Jain Publishers who is always there to publish my works. I would also like to acknowledge the support given by my two beautiful children, Sreyoshee, my daughter and Saptarshi, my son (who will be the fifth generation homoeopath, now studying BHMS).

I welcome any constructive suggestions towards the improvement of future editions and feedback on your success using the methods outlined here. All the information given in this book has been verified and it is with this knowledge and my own experience that I have been successfully incorporating this classical and practical prescribing into my practice for many years.

I fervently hope that this book will be of immense benefit to the students, as well as practitioners, to carry forward the torch of homoeopathy in a successful way.

Essex, England
September 6, 2009
(My fifty second birthday)

Subrata Kumar Banerjea Principal, Allen College of Homoeopathy

CONTENTS

| Author's Dedicationii Preface | |
|---|---|
| SECTION-1 | |
| MODERN CLASSICAL MIASMATIC PRESCRIBING (FOR DRUG DEPENDANT AND NON-DRUG DEPENDANT CASES) PRACTICAL APPROACH – CLASSICAL PRESCRIBING | |
| APPROACH-A: Non-suppressed Cases – Cases with Clarity of Symptoms | 3 |
| APPROACH-B : Contaminated Drug Dependent Cases – Cases Without Clarity of Symptoms | 6 |
| SECTION-2 | |
| CLASSICAL METHODOLOGY FOR CASE TAKING AND CASE ANALYSIS WITH EMPHASIS ON MIASMATIC DIAGNOSIS | |
| Case Taking Proforma | 3 |
| SECTION-3 | |
| POTENCY TIPS | |
| Potency of Choice – Hexagonal Tip Presentation of Banerjea3 | 5 |
| 'C' Potency – Use and Utility | 5 |
| Mother Tinctures – Use and Utility | |
| LM Potency – Use and Utility | |
| Susceptibility and Potency – A Graphical Representation | |
| Flow Chart of Potencies – Mother Tincture | |
| Dropping Down the Scale of Potency | 1 |

| Repeating the Series Again | 42 |
|--|-----|
| Potency - To Ascend or Descend | 42 |
| Banerjea Family's 105 Years Heritage of Using Different Potencies According to | |
| Various Spheres of Action of the Remedy | 43 |
| Dispensing Directives of Hahnemann | 44 |
| Logic and Advantages of Diluting, Plussing and Dividing the Dose | 55 |
| Repetition of Doses | 55 |
| | |
| SECTION-4 | |
| FAST ACUTE PRESCRIBING – WHAT ARE THE STRIKING SYMPTOMS OF EACH MEDICINE ON WHICH YOU CAN SUCCESSFULLY DEPEND – FAST PRESCRIBING TECHNIQUE | |
| Clinical and Comparative Materia Medica of Flu, Common Cough and | |
| Cold Medicines | |
| Common Acutes - Coughs and Colds | |
| Acute Cold Medicines | |
| Acute Cough Medicines | |
| Cold Medicines – Spot Diagnosis – Top Six | |
| Common Acute Problem – Rhinitis / Coryza | |
| $Cold \rightarrow Manifestations$ | |
| Common Acute Problems - Conjunctivitis, Cataract, Influenza | |
| Conjunctivitis | |
| Cataract | |
| Influenza | |
| Common Acute Problems – Fever | |
| Fever : Spot diagnosis – Top Six | |
| Common Acute Problems – Meniere's Disease | |
| Meniere's Disease Banerjea's Top Three | |
| Clinical and Comparative Materia Medica of Otalgia/Otitis Media | |
| Otalgia and Otorrhoea | |
| Common Acute Ear Problems - Otalgia, Otitis Media | 104 |
| Common Acute Throat Problems - Tonsillitis | 109 |
| Comparative Materia Medica – Tonsillitis | 114 |
| Dignosis of the Remedy on Appearance – Tonsillitis | |
| Clinical Tips on Some Uncommon Remedies of Tonsillitis | 114 |
| Common Acute Throat Problems - Tonsillitis - Look and Diagnose - | |
| Spot Diagnosis | 115 |

Contents

| Common Acute Gastrointestinal Problem - Food Poisoning | 121 |
|--|-------|
| Trio of Food Poisoning | 121 |
| Injury and Trauma | 123 |
| Therapeutics | 123 |
| Clinical Tips | 124 |
| | |
| SECTION-5 | |
| COMMON CHARACTERS (SYMPTOMS) OF DIFFERENT GROUPS | |
| Common Characters of Mineral Groups | 127 |
| Common Characters of Acids (Acidums) | 127 |
| Common Characters of Ammoniums | 128 |
| Common Characters of Barytas | 129 |
| Common Characters of Bromatums | 129 |
| Common Characters of Calcareas (Calciums) | 129 |
| Common Characters of Carbonicums | 131 |
| Common Characters of Ferrums | 131 |
| Common Characters of Fluoratums | 132 |
| Common Characters of Iodatums | 132 |
| Common Characters of Kaliums | 132 |
| Common Characters of Magnesias | 134 |
| Common Characters of Muriaticums | 137 |
| Common Characters of Natriums (Sodiums) | 137 |
| Common Characters of Phosphoricums | 138 |
| Common Characters of Sulphuricums | 139 |
| Common Personality Characters | 141 |
| Personality Characters of Snake Venoms | 141 |
| Personality Characters of Acids | 141 |
| Personality Characters of Calcareas | 142 |
| Personality Characters of Kaliums | 142 |
| Personality Characters of Natriums | 143 |
| Personality Characters of Magnesiums | 143 |
| SECTION-6 | |
| POLYCHRESTS | |
| Polychrests | ••••• |
| Apis mellifica | 147 |
| Argentum nitricum | 150 |

| Arnica montana | . 154 |
|---------------------------------|-------|
| Arsenicum album | . 157 |
| Aurum metallicum | . 161 |
| Bacillinum | . 164 |
| Belladonna | . 166 |
| Bryonia alba | . 169 |
| Calcarea carbonica | . 172 |
| Calcarea iodata | . 176 |
| Calcarea phosphorica | . 178 |
| Carbo vegetabilis | . 181 |
| Carcinosinum | . 184 |
| Causticum | . 188 |
| Chamomilla | . 191 |
| Cinchona officinalis | . 194 |
| Conium maculatum | . 197 |
| Dulcamara | . 200 |
| Dysenteriae compound | . 202 |
| Gelsemium sempervirens | . 205 |
| Graphites | . 208 |
| Hepar sulphuris | 211 |
| Ignatia amara | . 214 |
| Kalium carbonicum | . 217 |
| Kalium sulphuricum | . 220 |
| Lachesis mutus | . 223 |
| Lycopodium clavatum | . 226 |
| Lyssinum | . 229 |
| Magnesia carbonica | . 233 |
| Medorrhinum | . 236 |
| Mercurius solubilis Hahnemannii | . 239 |
| Morgan pure | . 241 |
| Natrium muriaticum | . 244 |
| Natrium sulphuricum | . 248 |
| Nitricum acidum | . 251 |
| Nux vomica | . 255 |
| Phosphoricum acidum | . 259 |
| Phosphorus | . 262 |
| Psorinum | . 266 |
| Pulsatilla nigricans | . 269 |
| Radium bromatum | |

| Rhus toxicodendron | 277 |
|--|---|
| Sepia officinalis | 280 |
| Silicea terra | 283 |
| Staphysagria | 286 |
| Stramonium | 290 |
| Sulphur | 294 |
| Syphilinum | 298 |
| Thuja occidentalis | 301 |
| Thyroidinum | 305 |
| Tuberculinum bovinum kent | 308 |
| X-ray | 312 |
| SECTION-7 | |
| (FOR EXAMPLE, STREPTOCOCCINUM, STAPHYLOCOCC ETC.), SARCODES (FOR EXAMPLE, PITUITRINUM, ETC.) | AND |
| IMPONDERABILIA (FOR EXAMPLE, MAGNET, LUNA, ETC.); SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS | |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA - THE N | IASTER |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA - THE N BLASTERS | MASTER 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE M BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy | |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy Classification of Bowel Nosodes Indications for Prescribing Bowel Nosodes Posology and Bowel Nosodes – Dosage and Repetition Repetition of Bowel Nosodes | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy Classification of Bowel Nosodes Indications for Prescribing Bowel Nosodes Posology and Bowel Nosodes – Dosage and Repetition Repetition of Bowel Nosodes Materia Medica and Therapeutics of Bowel Nosodes Bacillus no.7 (Paterson) | 317317317317318319320 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy | 317317317317318319320 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy Classification of Bowel Nosodes Indications for Prescribing Bowel Nosodes Posology and Bowel Nosodes – Dosage and Repetition Repetition of Bowel Nosodes Materia Medica and Therapeutics of Bowel Nosodes Bacillus no.7 (Paterson) Dysenteriae compound (Bach) Gaertner (Bach) | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy Classification of Bowel Nosodes Indications for Prescribing Bowel Nosodes Posology and Bowel Nosodes – Dosage and Repetition Repetition of Bowel Nosodes Materia Medica and Therapeutics of Bowel Nosodes Bacillus no.7 (Paterson) Dysenteriae compound (Bach) Gaertner (Bach) Morgan (Bach) Mutabile (Bach) | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy Classification of Bowel Nosodes Indications for Prescribing Bowel Nosodes Posology and Bowel Nosodes – Dosage and Repetition Repetition of Bowel Nosodes Materia Medica and Therapeutics of Bowel Nosodes Bacillus no.7 (Paterson) Dysenteriae compound (Bach) Gaertner (Bach) Morgan (Bach) Mutabile (Bach) Proteus (Bach) | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy Classification of Bowel Nosodes Indications for Prescribing Bowel Nosodes Posology and Bowel Nosodes – Dosage and Repetition Repetition of Bowel Nosodes Materia Medica and Therapeutics of Bowel Nosodes Bacillus no.7 (Paterson) Dysenteriae compound (Bach) Gaertner (Bach) Morgan (Bach) Mutabile (Bach) Proteus (Bach) Proteus (Bach) Sycotic compound (Paterson) | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy Classification of Bowel Nosodes Indications for Prescribing Bowel Nosodes Posology and Bowel Nosodes – Dosage and Repetition Repetition of Bowel Nosodes Materia Medica and Therapeutics of Bowel Nosodes Bacillus no.7 (Paterson) Dysenteriae compound (Bach) Gaertner (Bach) Morgan (Bach) Mutabile (Bach) Proteus (Bach) | 317 |
| SPECIAL EMPHASIS ON USE OF IMPONDERABILIA – THE N BLASTERS Introduction and Scope of Bowel Nosodes Conception of Bowel Nosodes and Its Introduction in Homoeopathy Classification of Bowel Nosodes Indications for Prescribing Bowel Nosodes Posology and Bowel Nosodes – Dosage and Repetition Repetition of Bowel Nosodes Materia Medica and Therapeutics of Bowel Nosodes Bacillus no.7 (Paterson) Dysenteriae compound (Bach) Gaertner (Bach) Morgan (Bach) Mutabile (Bach) Proteus (Bach) Proteus (Bach) Sycotic compound (Paterson) | 317 317 317 318 319 320 320 320 324 325 329 330 333 |

| Materia Medica and Clinical Therapeutics of Some of the Rare Nosodes | 337 |
|--|-----|
| B.Coli | 337 |
| BCG | 338 |
| Diphtherinum | 338 |
| Hippozaeninum | 339 |
| Influenzinum | 340 |
| Morbillinum – The Remedy for the Scourges of Measles | 342 |
| Oscillococcinum | 343 |
| Pertussinum | 344 |
| Pneumococcinum | 344 |
| Staphylococcinum: The Remedy for Chronic Pyogenic Inflammations | 346 |
| Streptococcinum: The Anti-streptococcal, Anti-pyretic, Anti-convulsive and | |
| Astringent Answer to the Modern World | 347 |
| Vaccininum | 352 |
| Materia Medica and Clinical Therapeutics of Some of the Rare Sarcodes | 353 |
| Folliculinum | 353 |
| Insulinum | 354 |
| Pituitrinum | 356 |
| Materia Medica and Clinical Therapeutics of Some of the Rare Imponderablias | |
| Scope of Imponderablias | 357 |
| Electricity | 358 |
| Luna | 359 |
| Magnetis poli ambo (The Magnet) | 360 |
| Magnetis polus australis (South Pole of Magnet) | 361 |
| Magnetis polus arcticus (North Pole of Magnet) | 361 |
| Radium bromatum | 361 |
| X-ray | 361 |
| | |
| SECTION-8 | |
| PERSONIFICATION OF POLYCHRESTS (PEOPLE OF THE MATERIA MEDICA WORLD) - LOOK AND SPOT THE MEDICINE | |
| Gesture and Posture – Body Language of Medicines | 365 |
| Look and Diagnose | |
| | |
| SECTION-9 | |
| SPOT THE MEDICINE | |
| Dissection of Personalities at the Airport | 385 |

| On Board | 387 |
|---|-----|
| Cabin Crew | 389 |
| Passenger Meeting Family at the Arrival Lounge (Look and Diagnose the Personalities | 393 |
| Baggage | 397 |
| Passengers in Duty Free Shops | 399 |
| Boarding | 400 |
| SECTION-10 | |
| NBWS EMOTIONAL TRAUMAS - EMOTIONAL AETIOLOGIES AND THEIR CORRESPONDING MANIFESTATIONS | |
| Chapter-1 Mental Aetiologies and Manifestations | 407 |
| 1. Apis Mellifica | 407 |
| 2. Argentum Nitricum | 408 |
| 3. Arsenicum Album | 409 |
| 4. Bryonia Alba | 410 |
| 5. Calcarea Carbonica | 410 |
| 6. Calcarea Phosphorica | 412 |
| 7. Carcinosinum | 412 |
| 8. Causticum | 413 |
| 9. Conium Maculatum | 414 |
| 10. Gelsemium Sempervirens | 415 |
| 11. Graphites | 415 |
| 12. Ignatia Amara | 416 |
| 13. Kalium Carbonicum | 417 |
| 14. Lachesis Mutus | 418 |
| 15. Lycopodium Clavatum | 419 |
| 16. Lyssinum (Hydrophobinum) | 420 |
| 17. Magnesia Carbonica | 421 |
| 18. Medorrhinum | 421 |
| 19. Mercurius Solubilis | 422 |
| 20. Natrium Muriaticum | 422 |
| 21. Natrium Sulphuricum | 424 |
| 22. Nitricum Acidum | 424 |
| 23. Nux Vomca | 424 |
| 24. Phosphoricum Acidum | 426 |
| 25. Phosphorus | 427 |
| 26. Psorinum | 428 |
| | |

| 27. Pulsatilla Nigricans | 428 |
|--|------------|
| 28. Rhus Toxicodendron | |
| 29. Sepia Officinalis | |
| 30. Silicea Terra | |
| 31. Staphysagria | 431 |
| 32. Stramonium | |
| 33. Sulphur | 433 |
| 34. Thuja Occidentalis | 434 |
| 35. Tuberculinvm Bovinum Kent | 435 |
| Mental Aetiologies and Never Been Well Since (NBWS) From Emotional Aetiologies | gies . 436 |
| SECTION-11 | |
| PSYCHIATRY AND MENTAL ESSENCE | |
| Anxieties | 443 |
| Anxiety About His / Her Own Health | 443 |
| Anxiety About Family as Doctor has Given Him the Diagnosis of Cancer | 447 |
| Therapeutics of Anxiety Neurosis and Depressive Psychosis - The Lesser Known | Trio 447 |
| Irritability | 450 |
| Irritability Before Menses | 451 |
| Depression | 455 |
| Sadness/Depression During Menopause | 455 |
| Depression – Lesser Known Remedies | 457 |
| Therapeutics of Attention Deficit Disorders – Top Six Lesser Known Remedies. | 459 |
| Aragallus Lamberti | 459 |
| Kalium Bromatum | 459 |
| Phosphoricum Acidum | 459 |
| Xerophyllum Asphodeloides | 460 |
| Zincum Picricum | 460 |
| Zincum Phosphoricum | 460 |
| Gradual Withdrawl of Psychotropic Drugs and Input of Homoeopathy | 461 |
| Patient's Objectives in Seeking Homoeopathic Treatment | 461 |
| Homoeopathic Treatment of Patients Who are Undergoing or Have a History of | |
| Psychotropic Therapy | 461 |
| Emotional Theme - Our Jealous Remedies | 465 |
| Anantherum Muricatum | 466 |
| Apis Mellifica | 466 |

| Contents | | xvi |
|----------|--|-----|
| | | |

| Arsenicum Album | 466 |
|--|-----|
| Calcarea Phosphorica | |
| Cenchris Contortrix | |
| Gallicum Acidum | |
| Hyoscyamus Niger | |
| Ignatia Amara | |
| Lachesis Mutus | 468 |
| Lycopodium Clavatum | 468 |
| Nux Vomica | 468 |
| Pulsatilla Nigricans | 468 |
| Raphanus Sativus | 469 |
| Staphysagria | 469 |
| | |
| SECTION-12 | |
| PTSD (Post-traumatic Stress Disorders) | |
| Post-traumatic Stress Disorders | 473 |
| Introduction | |
| Present Scenario | 473 |
| Alertness For Future | |
| SECTION-13 | |
| DRUG SENSITIVE (HYPERSENSITIVE) CASES | |
| Drug Sensitive Cases | 495 |
| Oversensitive to Allopathic Medicines | |
| Violent Reaction to Homoeopathic Medicines | |
| Patients Who Are Drug Sensitive | |
| Prescribing For Drug Sensitive Cases – Methodologies | |
| Doctrine of Concomitants | 505 |
| Clinical Tips And Therapeutic Hints | 505 |
| SECTION-14 | |
| VACCINATION AND CONSEQUENCES | |
| Consequences of vaccination | EM |
| Bad Effects of Vaccination | |
| Day Effects of Vaccination | 305 |

SECTION-15

REPERTORY OF PERSONALITY PROFILES

| Common Personality Characters - Collection of Words From Modern | |
|--|-----|
| Materia Medicas | 515 |
| Philosoply and Why There is a Need to Understand the Personility Character | |
| and Essence | 515 |
| Six Personality Traits and Their Corresponding Rubrics | 526 |
| Common Personality Characters- Collection of Words From Patient's | |
| and the Search of the Repertory | 527 |
| Most Common Personality Characters / Traits | 531 |
| Top Ten Polychrests Covering Common Personality Characters | 532 |
| Arsenicum album | 532 |
| Carcinosinum | 532 |
| Lycopodium clavatum | 533 |
| Natrium muriaticum | 533 |
| Nux vomica | 533 |
| Phosphorus | 534 |
| Pulsatilla nigricans | 534 |
| Staphysagria | 535 |
| Sulphur | 535 |
| Thuja occidentalis | 535 |
| People of the Materia Medica World - Allen College BBQ Party - Behaviour, | |
| Gesture, Posture and Their Personality Profiles | 536 |
| | |
| SECTION-16 | |
| RECREATIONAL DRUG DEPENDANT CASES AND SCOPE OF DRUG DE-ADDICTIONS | |
| Introduction: Drug Dependent Patients | 541 |
| Opium, Heroin | 541 |
| Cocaine | 542 |
| Cannabis | 542 |
| LSD | 542 |
| Alcohol | 543 |
| Homoeopathic Treatment of Drug Dependent Cases | 544 |
| Cannahis | 544 |

Contents

| Cocaine | |
|--|--------------------|
| Heroin | |
| LSD (Lysergic Acid Diethylamide) | |
| Few Additional Medicines (Used in the Treatment of Recre | ational Drugs) 556 |
| SECTION-17 | |
| SCOPE AND USE OF MOTHER TINCTURES OF I | LATIN AND INDIAN |
| Mother Tinctures Materia Medica and Therapeutic Utility | 559 |
| 1. Aconitum Napellus | 559 |
| 2. Adonis Vernalis | 560 |
| 3. Aletris Farinosa | 561 |
| 4. Alfalfa | 561 |
| 5. Alstonia Scholaris | 562 |
| 6. Amylenum Nitrosum | 563 |
| 7. Angelica Atropurpurea | 563 |
| 9. Aralia Racemosa | 564 |
| 10. Arnica Montana | 565 |
| 11. Aspidosperma | 566 |
| 12. Avena Sativa | 566 |
| 13. Berberis Vulgaris | 567 |
| 14. Cactus Grandiflorus | 568 |
| 15. Calendula Officinale | 568 |
| 16. Carduus Marianus | 569 |
| 17. Cascara Sagrada | 569 |
| 18. Chaparro Amargoso | 570 |
| 19. Chelidonium Majus | 571 |
| 20. Chimaphila Umbellata | 571 |
| 21. Cholesterinum | 572 |
| 22. Cinnamomum Ceylanicum | 573 |
| 23. Crataegus Oxyacantha | 573 |
| 24. Echinacea Angustifolium | 574 |
| 25. Erigeron Canadense | 575 |
| 26. Eriodictyon Californicum | 575 |
| 27. Eucalyptus Globulus | 576 |
| 28. Euphrasia Officinalis | 577 |
| 29. Grindelia Robusta | 577 |

| 20 | Hamamalia Vivainiana | 570 |
|-----|---|-----|
| | Hamamelis Virginiana | |
| | Hydrastis Canadensis | |
| | Iberis Amara | |
| | Jaborandi | |
| | Lycopus Virginicus | |
| | Melilotus Alba | |
| | Millefolium | |
| | Myrica Cerifera | |
| | Nuphar Luteum | |
| | Nyctanthes Arbortristis | |
| | Passiflora Incarnata | |
| | Phytolacca Decandra | |
| | Pinus Lambertiana | |
| | Plantago Major | |
| | Pothos Foetidus | |
| | Robiniam Pseudacacia | |
| | Sabal Serrulata | |
| | Salix Nigra | |
| | Senecio Aureus | |
| | Strophanthus Hispidus | |
| | Tribulus Terrestris | |
| | Turnera (Damiana) | |
| | Verbascum Thapsus | |
| 53. | Viscum Album | 592 |
| Sco | pe of Mother Tinctures of Indian Origin | |
| 1. | Aegle Marmelos | 593 |
| 2. | Atista Indica | 594 |
| 3. | Azadirachta Indica | |
| 4. | Blatta Orientalis | |
| 5. | Blumea Odorata | 596 |
| 6. | Brahmi | 596 |
| 7. | Carica Papaya | 597 |
| 8. | Cassia Sophera | 598 |
| 9. | Cephalandra Indica | 598 |
| 10. | Cynodon Dactylon | 599 |
| 11. | Embelia Ribes | 600 |
| 12. | Gymnema Sylvestre | 600 |
| 13. | Holarrhena Antidysenterica | 601 |
| 14. | Joanesia Asoka | 602 |


| 15. Justicia Adhatoda | 602 |
|---|-----|
| 16. Ocimum Sanctum | 603 |
| 17. Rauwolfia Serpentina | 604 |
| 18. Syzygium Jambolanum | |
| 19. Terminalia Arjuna | 605 |
| 20. Tinospora Cordifolia | 605 |
| | |
| SECTION-18 | |
| REPERTORY OF MOTHER TINCTURES | |
| Repertory of Common Medicines Used in Tincture Form | 609 |
| Acutes | 609 |
| Mind | 609 |
| Head | 609 |
| Eyes | 609 |
| Ear | 609 |
| Nose | 609 |
| Face | 610 |
| Teeth | 610 |
| Throat | 610 |
| Stomach | 610 |
| Abdomen | 611 |
| Rectum | 611 |
| Stool | 611 |
| Bladder | 611 |
| Kidneys | 611 |
| Liver | 611 |
| Prostate | 612 |
| Urethra | 612 |
| Urine | 612 |
| Male | 612 |
| Female | 613 |
| Respiration | 613 |
| Cough | 614 |
| Expectoration | 614 |
| Chest | 614 |
| Extremities | 615 |
| Sleep | 615 |
| CL.11 | (15 |

| Fever | 615 |
|--|-----|
| Perspiration | 615 |
| Skin | 615 |
| Generals | 615 |
| Repertory of Indian Drugs Used in Tincture Form | 617 |
| Acutes | 617 |
| Mind | 617 |
| Nose | 617 |
| Mouth | 617 |
| Teeth | 617 |
| Throat | 617 |
| Stomach | 618 |
| Rectum | 618 |
| Stool | 618 |
| Urine | 619 |
| Male | 619 |
| Female | 619 |
| Respiration | 619 |
| Cough | 619 |
| Expectoration | 620 |
| Chest | 620 |
| Sleep | 620 |
| Chill | 620 |
| Skin | 620 |
| Generals | 621 |
| | |
| SECTION-19 | |
| ORGANOPATHIC MEDICINES – MEDICINES THROUGH WHICH YOU CAN HANDLE DRUG DEPENDANT CASES AND GRADUALLY WEAN OFF CONVENTIONAL MEDICINES | |
| Organopathic Medicines | 625 |
| Philosophy - Contaminated Drug Dependent Cases: Cases Without Clarity of | |
| Symptoms | 625 |
| Liver | 626 |
| Gallbladder | 627 |
| Spleen | 627 |
| Heart | 627 |
| Brain and Memory | 627 |

| Contents | xxiii |
|----------|-------|
| contents | AAIII |

| Depression | 627 |
|-----------------------------------|-----|
| Joint pains | |
| Gout | 627 |
| Diuretics | 627 |
| Anti-diabetics | 628 |
| Anti-hypertensives | 629 |
| Migraine: Pain Reliever | 629 |
| Asthma: Bronchodilator | 629 |
| UTI (Urinary Tract Infections) | 630 |
| Menorrhagia and Uterine Bleedings | 630 |
| Remedy Chains | 630 |

Behavioural Profile




2. Master Calcarea carbonica

Appearance

- a. 4F's fair, fat, flabby, freezing.
- b. Pale, chalky complexion.
- c. Can't bear tight clothing around the middle.
- d. Looks physically strong lacks motivation.
- e. Round appearance.

Gesture



Behavioural Profile




3. Miss Carcinosinum

Appearance


- a. Dark, earthy dusky complexion olive skin.
- b. Wears strong, dark clothes (which get lighter as she gets better).
- c. Café au lait hue.
- d. Dark moles.
- e. Artistic, romantic

Gesture



Rhythmic (loves music, dancing)

Behavioural Profile



4. Master Causticum

Appearance

- a. Dark-haired, dark-eyed and of darkest mood and temper.
- b. Soreness in folds of skin, back of ears and between thighs.
- c. Puny, weak and anaemic.
- d. *Causticum* children often suffer from acute torticollis or an acute facial palsy after exposure to an icy wind.


Gesture

Sympathetic: These children will cry because they think you are hurting another child. It is the idea of pain which affects them rather than the actual pain to themselves, and they often stand pain quite well, but cannot bear to see another child crying

Slow in milestones, totter, stumble and stammer; puny, weak and anaemic

Sense of shakiness, unsteadiness

Behavioural Profile



5. Master Chamomilla

Appearance

- a. Fretful.
- b. One cheek red and hot, the other pale and cold, in particular in children during dentition.
- c. Very hot heads, very often hot and sweaty; liable to have burning feet which they push out of bed at night.

Gesture

Irritable, restlessness, piteous moaning.

Behavioural Profile

Do not want to sit down or lie down, but keep quiet only when carried in arms

Very difficult to please, whining

Restlessness, wants many things, but rejects all of them when offered


6. Miss Lycopodium clavatum

Appearance

- a. Worried -frown lines on forehead.
- b. Pear-shaped.
- c. Grey hair.
- d. Serious looking.
- e. Loose clothing at the waist.
- f. Tall and lean.
- g. Neat and tidy smartly dressed.
- h. Often looks older than she is.

Gesture


Walk laboriously, trudges ← Podding type but 'blow up' under provocation



Will end the conversation as fast as possible because it is too much stress for them

Very shy Greedy and miserly

Behavioural Profile




7. Master Natrium muriaticum

Appearance

- a. Small.
- b. Underweight for his age.
- c. Serious.
- d. Relatively dark skin.
- e. Thin neck long, like a giraffe.
- f. Face Pale, puffy (due to NaCl stagnation). Dry looking, wrinkled (due to NaCl depletion).
- g. Skin Greasy, shiny, sweaty. Weak, wasted, cold, clammy hands. Fine, thin, translucent. Obesity and oedema (from salt retention).
- h. Lips-Dry with crack in centre (especially upper lip).

Gesture


Ludicrous, unsymmetrical proportion, who indeed is an object of pity with his pendulous abdomen, suspended from a narrow strip of a throat on which is mounted a head



Sit with their arms crossed defensively in an interview



Behavioural Profile




8. Master Nux vomica

Appearance

- a. Smart, dapper.
- b. Neat and tidy suit and a tie.
- c. Chilly person.
- d. Thin, sparse, quick, active, nervous.


- v. Trim.
- vi. Prefers dinner party to BBQ!
- viii. Late night person.

Gesture



Strong feeling of right and wrong

Behavioural Profile




9. Miss Phosphoricum acidum


Appearance

- a. Eyes dull, glassy (but without lustre), downcast.
- b. Face pale, waxy, with (lusterless) hollow eyes surrounded by a blue circle and pointed nose.
- c. Skin withered, old and grey, and the patient emaciates.
- d. Children and young people who grow fast and fat like Calcarea carbonica.

Gesture



Behavioural Profile




10. Miss Phosphorus


Appearance

- a. Tall, thin for her age.
- b. Fine features.
- c. Sparkly bubbly child.
- d. Long eye lashes, attractive, arresting eyes.
- e. Artistic.
- f. Designer label clothes, arty, bright colours.
- g. Hair: Blond.
- h. Eye: Bright. Eye lashes are long and silky.
- i. Face: Easy flush when excited or embarrassed.
- j. Constantly fidgets.

Gesture




Behavioural Profile



11. Miss Pulsatilla nigricans

Appearance


- a. Plump.
- b. Pretty, blond, feminine.
- c. Fair hair/blue eyes.
- d. Softness.
- e. Flushes and blushes easily.
- f. Red, plethoric; lips red and cracked.



Gesture

Clingy, oversensitive.

Behavioural Profile




12. Master Staphysagria

Appearance

- a. Teeth problems black and crumbling.
- b. Skin eczema and warts.
- c. Casually dressed.
- d. Sweet and gentle.
- e. Nervous temperament with oversensitiveness.

Behavioural Profile




13. Master Sulphur

Appearance

- a. Scruffy, untidy.
- b. Dishevelled, messy.
- c. Stains on clothing.
- d. Pot bellied.
- e. Hot patient, averse to bathing.
- f. Could have a shave, looks unwashed strong body odour.
- g. Harsh skin with redness

Three Types




Posture


Slump into a chair or take support of the door post

Spitting, whistling Gait: Forward stoop


Gesture



Hasty walking and talking. Eats greedily and takes a huge portion; selfish, pleased with possessions, generous and non-cooperative, reclusive child




Behavioural Profile




14. Master Thuja occidentalis

Appearance

- a. Pendulous breasts and abdomen plump!
- b. Overweight wants loose clothing.
- c. Oily skin, warts on face.
- d. Hair dry and falls abruptly.
- e. Sweating on exposed parts.
- f. Can be shy, timid.



Gesture



Behavioural Profile

